



MATERIAL SAFETY DATA SHEET

**SUBJECT : UPS F. 113
RUST REMOVER**

Manufactures by : WESTERS INDUSTRIES, PT
Jl. Industri Selatan 10 Blok EE No. 11B Jababeka industrial
District **Cikarang – Indonesia**
Emergency call : [6221-89841382](tel:6221-89841382)
Website : www.westers-ind.com
Email : info@westers-ind.com

Page 1 of 3

Ups chemicals urges each customer or recipient of this MSDS to study it carefully to understand and become aware of the the hazards associated with the product. The reader should consider consulting reference work are experts in ventilation, toxicology and fire prevention as necessary or appropriate to use and understand the data contained in this MSDS.

To promote safe handling, each customer or recipient should :

- (1) notify its employees, agents, contractors and other who will use this information regarding hazards or safety.
- (2) Furnish the same information to each of its customers for the product.
- (3) Request its customer to notify their employees, customers and users of the product about this information.

I. IDENTIFICATION

Product name : **UPS F. 113 Rust Remover**
Chemical name : Mixture

II. PHYSICAL DATA

- | | |
|-------------------------------|--------------------|
| 1. Boiling point, 760 mmHg | : >392 deg.F. |
| 2. Solubility | : soluble in water |
| 3. Specific Gravity | : > 1 |
| 4. Vapor Density | : > 1 |
| 5. pH | : 0 – 2 |
| 6. Evaporation Rate | : 1 |
| 7. Appearance | : Reddish |
| 8. Odor | : Green |
| 9. Vapor Pressure at 20 deg.c | : < 1 mmHg |
| 10. % Volume by voume | : 60% |

III. HAZARDOUS DATA.

Component Name	% Approximately	TLV
H3PO4	40	500
Surfactant	05	100
Inhibitor	0,8	1000



MATERIAL SAFETY DATA SHEET

**SUBJECT : UPS F. 113
RUST REMOVER**

Manufactures by : WESTERS INDUSTRIES, PT
Jl. Industri Selatan 10 Blok EE No. 11B Jababeka industrial
District **Cikarang – Indonesia**
Emergency call : [6221-89841382](tel:6221-89841382)
Website : www.westers-ind.com
Email : info@westers-ind.com

Page 2 of 3

IV. FIRE AND EXPLOSION HAZARD DATA

- | | |
|---------------------------------------|----------|
| 1. Flash point | : N.A |
| 2. Extinguishing Media | : N.A |
| 3. Unusual fire and explosion hazards | : N.A |
| 4. Flammability in Air | : 7 – 15 |

V. REACTIVITY DATA

- | | |
|--|---|
| 1. Stability | : Stable |
| 2. Condition to avoid | : Flames, sparks & electrical arcs |
| 3. Incompatibility (Material to avoid) | : Alkaline earth metal like powdered Zn, Al
&
Be |
| 4. Hazardous Decomposition product | : Thermal decomposition may produce
halogens acids & phosgene. |
| 5. Hazardous Polymerization | : N.A |

VI. TOXICITY AND FIRST AID

- | | |
|---|---|
| 1. Medical condition aggravated by exposure | : in case of over exposure seek medical
attention immediately. |
| 2. Effects of acute toxicity | : N.A |
| 3. Swallowing | : May cause headache, nausea, vomiting
breathing difficulties and weakness, &
may result in kidney damage by ingestion
of large quantities of the product. |
| 4. Inhalation | : High vapor concentration may result in
dizziness & head ache, etc. expose
to fresh air. |
| 5. Skin contact | : warm skin immediately with plenty of water
and apply soap & flush with water until the
efficiency subsided. In case of severity
contact a physician. |
| 6. Eye contact | : Remove from the exposure imediately
& flush with plenty of water for 15 minute
until the irritation is sudsided. In case
severity contact a physician. |
| 7. Notes to physician | : There is no specific antidote. Treatment
of over exposure should be direted at the
control of symptoms and the clinic
condition. |



MATERIAL SAFETY DATA SHEET

**SUBJECT : UPS F. 113
RUST REMOVER**

Manufactures by : WESTERS INDUSTRIES, PT
Jl. Industri Selatan 10 Blok EE No. 11B Jababeka industrial
District **Cikarang – Indonesia**
Emergency call : [6221-89841382](tel:6221-89841382)
Website : www.westers-ind.com
Email : info@westers-ind.com

Page 3 of 3

VII. SPILL OR LEAK PROCEDURES

Step to be taken if material is spilled :

Wear suitable protective equipment. Small spills should be flushed with large quantities of water. Large spills should be collected for disposal.

VIII. SPECIAL PERSONAL PROTECTION

- | | |
|-------------------------------|--|
| 1. Respiratory protection | : Use air respirators, facial masks etc. |
| 2. Ventilation | : Local exhaust in adequate. |
| 3. Skin protection | : Aprons, glove made of polyethelene, or neoprene or rubber. |
| 4. Eye protection | : Safety glasses are recommended. |
| 5. Other protection equipment | : N.A |

IX. SPECIAL PRECAUTIONS

Precautionss to be taken in handling and storage :

WARNING!!! Harmful if inhaled or absorbed through skin. Causes eye irritation. May cause dizziness. Do Not inhale vapors. Use in adequate ventilated areas. Accidental contact should be washed immediately with plenty of water.

X. WASTE DISPOSAL METHOD

Incinerate in a furnace where permitted under appropriate federal, State and Local Regulations.